

References

Chapter 1

URL 1.1: <http://aix.meng.auth.gr/saturn/>

Chapter 2

- Adams HS, Niewenhuijsen MJ, Colville RN (2001) Determinants of fine particle ($PM_{2.5}$) personal exposure levels in transport microenvironments. London, UK, *Atmos Environ* 35: 4557–4566
- Almbauer RA, Öttl D, Bacher M, Sturm PJ (2000) Simulation of the air quality during a field study for the city of Graz. *Atmos Environ* 26B, No 3: 379–390
- Britter RE, Hanna S (2003) Flow and dispersion in urban areas. *Annu Rev Fluid Mech* 35: 469–496
- Brown MJ (2000) Urban parameterisations for mesoscale meteorological models. In: Boybeyi Z (ed), *Mesoscale Atmospheric Dispersion*, Southampton, UK, WIT Press, Ch 5, pp 193–255
- Grimmond CSB, Oke TR (2002) Turbulent heat fluxes in urban areas: observations and a local-scale urban meteorological parameterisation scheme. *J. Appl. Met.* 41: 792–810
- Hanna SR, Britter RE (2002) *Wind flow and Vapor Cloud Dispersion at Industrial and Urban Sites*. New York: Am. Inst. Chem. Eng.
- Hosker RP (1985) Flow around isolated structures and building clusters: a review. *ASHRAE Trans* 91: 1671–1692
- McInnes G (1996) *CORINAIR Atmospheric Emission Inventory Guidebook*, European Environment Agency
- Oke TR (1987) *Boundary Layer Climates*. London, UK, Routledge
- Macdonald R, (2000) Modelling the mean velocity profile in the urban canopy layer. *Bound-Lay Meteorol* 97: 25–45
- Moussiopoulos N, Sahm P, Kessler Ch (1995) Numerical simulation of photochemical smog formation in Athens, Greece—a case study. *Atmos Environ* 29: 3619–3632
- Pavageau M, Rafailidis S, Schatzmann M (2001) A comprehensive experimental databank for the verification of urban car emission dispersion models. *Int J Environ Pollut* 15: 417–425
- Scaperdas A, Colville R (1999) Assessing the representativeness of monitoring data from an urban intersection site. *Atmos Environ* 33: 661–674
- Schatzmann M, Leitl B (2002) Validation and application of obstacle resolving urban dispersion models. *Atmos Environ* 36: 4811–4821

- Schlunzen KH (2002) Simulation of transport and chemical transformation in the atmospheric boundary layer- a review on the past 20 years developments in science and practice. *Meteorol Z* 11: 303-313
- Wählin P, Palmgren F, van Dingenen R (2001) Pronounced decrease of ambient particle number emissions from diesel traffic in Denmark after reduction of the sulphur content in diesel fuel. *Atmos Environ* 35/21: 3549–3552

Chapter 3

- Catenacci G, Riva M, Volta M, Finzi G (2000) A Model for Emission Scenario Processing in Northern Italy. In: Borrell, PM, Borrell P (eds) Proc. EUROTRAC-2 Symposium '98, Witpress, Southampton, vol 2, pp 720–724
- Cirillo M, de Lauretis R, del Ciello R (1996) (ENEA): Review study on European urban emission inventories(final draft).European Environment Agency, European topic center on air emission, Topic report 1996 Document EEA/96
- Decanini E, Pola M, Polla Mattiot F, Volta M (2002) Application of REMSAD and GAMES modelling systems on a particulate matter and ozone episode in Milan metropolitan area. In: Sturm PJ (ed) Proc. 8th International Conference on Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes, Sofia
- EEA (1998) <http://tiger.eea.eu.int/aegb/default.htm>
- Finzi G, Volta M, Carnevale C, Ragni C (2002) POEMPM: An emission model for size and chemical description of particulate matter. In: Midgley PM, Reuther M, Williams M (eds) Proc. EUROTRAC-2 Symposium 2002. Springer Verlag, Berlin
- Friedrich R, Reis S (eds) (2003) Emissions of Air Pollutants - Measurements, Calculation, Uncertainties. Springer, Heidelberg, in preparation
- Gabusì V, Volta M, Veraldi S, Veronesi V (2001) Road traffic impact on photochemical pollution: Brescia Metropolitan Area Case. In: Midgley PM, Reuther M, Williams M (eds) Proc. EUROTRAC-2 Symposium 2000. Springer Verlag, Berlin, pp 1146–1149
- Kühlwein J, Friedrich R (1999) Uncertainties of modelling emissions from motor vehicles. In: Sturm PJ (ed) Proc. 8th International Symposium Transport and Air Pollution. Graz
- Kühlwein J, Friedrich R (2000) Uncertainties of modelling emissions from motor vehicles. *Atmos Environ* 34, No 27: 4603–4610
- McInnes G (ed) (1996) Atmospheric emission inventory guidebook. A joint EMEP/CORINAIR Production, EEA, Copenhagen, February 1996, pp B710/9–11
- McInnes G (1996) CORINAIR Atmospheric emission inventory guidebook. EEA, Feb.1996
- Mensink C (2000) Validation of urban emission inventories. *Environ Monit Assess* 65: 31–39
- Ntziachristos L, Samaras Z (2000) COPERT-III (Computer Programme to Calculate Emissions from Road Transport) – Methodology and emission factors (version 2.1). Technical report No 49, European Environment Agency. <http://vergina.eng.auth.gr/mech/lat/copert/copert.htm>, p 86
- Sturm PJ (1999) Investigations at the Institute for Internal Combustion engines and Thermodynamics, Graz University of Technology
- Sturm PJ, Winiwarter W, ApSimon H, Böhler T, Lopes M, Borrego C, Mensink C, Blank P, Friedrich R, Volta M, Finzi G, Moussiopoulos N (1998) Harmonised method for the

- compilation of urban emission inventories for urban air modelling. (Final report of SATURN WG Val3 and GENEMIS WG Emission Inventories for Model Validation Activities, Institute for Internal Combustion Engines and Thermodynamics), TU-Graz, Austria
- Sturm PJ, Sudy Ch, Almbauer RA, Meinhart J (1999) Updated urban emission inventory with a high resolution in time and space for the city of Graz. *Sci Total Environ* 235: 111–118
- De Vlieger I (1997) On-board emission and fuel consumption measurement campaign on petrol-driven passenger cars. *Atmos Environ* 31: 3753–3761
- Vlaamse Milieumaatschappij (VMM) (2001) Lozingen in de lucht (Air emission report) 2000, Flemish Environmental Agency, Aalst (in Dutch)
- Volta M, Finzi G (1999) Evaluation of EU road traffic emission abatement strategies in northern Italy by a photochemical modelling system, EUROTRAC Newsletter 21, pp 29–35
- URL 3.1: <http://www.aeat.co.uk/IMPRESAREO/index.htm>

Chapter 4

- Adams HS, Kenny LC, Nieuwenhuijsen MJ, Colvile R, Gussman R (2001a) Design and validation of a high flow personal sampler for PM_{2.5}. *J Exposure Anal Env Med* 11: 5–11
- Adams HS, Nieuwenhuijsen MJ, Colvile RN, McMullen MAJ, Khandelwal P (2001b) Fine particle (PM_{2.5}) personal exposure levels in transport microenvironments, London, UK. *Sci Total Environ* 279: 29–44
- Adams HS, Nieuwenhuijsen MJ, Colvile RN (2001c) Determinants of fine particle (PM_{2.5}) personal exposure levels in transport microenvironments, London, UK. *Atmos Environ* 35: 4557–4566
- Adams HS, Nieuwenhuijsen MJ, Colvile RN, Older MJ, Kendall M (2002) Assessment of road users' elemental carbon personal exposure levels, London, UK. Submitted to *Atmos Environ*, October 2001, Manuscript
- Almbauer RA, Pucher K, Sturm PJ (1995) Air quality modeling for the city of Graz. *Meteorol Atmos Phys* 57: 31–42
- Benson P (1992) A review of the development and application of the CALINE3 and 4 models. *Atmos Environ* 26B, No 3: 379–390
- Berkowicz R, Ketzel M, Vachon G, Louka P, Rosant JM, Mestayer PG, Sini JF (2002) Examination of traffic pollution distribution in a street using the Nantes'99 experimental data and comparison with model results. *Water Air Soil Poll: Focus* 2, 311–324
- Borrego C, Barros N, Valinhas MJ, Santos P, Miranda AI, Carvalho AC, Tchepel O, Lopes M, Abreu F (1998) Final Report AMAZOC (Atmospheric Environment in Coastal Zones: Assessment of Ecosystem Load Capacity - PRAXIS/3/3.2/AMB/38/94). Departamento de Ambiente e Ordenamento, Universidade de Aveiro, Portugal, 213 pp
- Borrego C, Barros N, Barros N, Lopes M, Conceino M, Valinhas MJ, Tchepel O, Coutinho M, Lemos S (1999) Data collection for mesoscale models validation: a field campaign.

- In: Borrell, PM, Borrell P (eds) Proc EUROTRAC-2 Symposium'98, WIT Press, Southampton, pp.467-471
- Etling D (1990) On Plume Meandering under Stable Stratification. *Atmos Environ* 8: 1979–1985
- Granberg M, Niittymäki J, Karppinen A, Kukkonen J (2000) Combined application of traffic microsimulation and street canyon dispersion models, and evaluation of the modelling system against measured data. In: Sucharov L, Brebbia CA (eds) *Urban Transport VI, Urban Transport and the Environment for the 21st Century*. WIT Press, Southampton, pp 349–358
- Karppinen A, Joffre SM, Kukkonen J, Bremer P (2001) Evaluation of inversion strengths and mixing heights during extremely stable atmospheric stratification, *Int J Environ Pollut* 16, Nos 1-6
- Kukkonen J, Salmi T, Saari H, Kontinen M, Kartastenpää R (1999) Review of urban air quality in Finland. *Boreal Environ Res* 4, No 1: 55–65
- Kukkonen J, Valkonen E, Walden J, Koskentalo T, Karppinen A, Berkowicz R, Kartastenpää R (2000) Measurements and modelling of air pollution in a street canyon in Helsinki. *Environ Monit Assess* 65 (1/2): 371–379
- Kukkonen J, Valkonen E, Walden J, Koskentalo T, Aarnio P, Karppinen A, Berkowicz R, Kartastenpää R (2001a) A measurement campaign in a street canyon in Helsinki and comparison of results with predictions of the OSPM model. *Atmos Environ* 35, No 2: 231–243
- Kukkonen J, Härkönen J, Walden J, Karppinen A, Lusa K (2001b) Evaluation of the dispersion model CAR-FMI against data from a measurement campaign near a major road. *Atmos Environ* 35, No 5: 949–960
- Lazar R, Podesser A (1999) An urban climate analysis of Graz and its significance for urban planning in the tributary valleys east of Graz. *Atmos Environ* 33: 4195–4209
- Lohmeyer A, Müller WJ, Bächlin W (2002) A comparison of street canyon concentration predictions by different modellers: final results now available from the Podbi-Exercise. *Atmos Environ* 36: 157-158
- Louka P, Vachon G, Sini JF, Mestayer PG, Rosant JM (2002) Thermal effects on the air-flow in a street canyon - Nantes '99 experimental results and model simulation. *Water Air Soil Poll: Focus* 2, No 5-6: 351-364
- Mestayer PG, Durand P (2002) The UBL/CLU-Escompte experiment: description and first results. In: Proc. 4th symposium on Urban Climatology, May 2002, Norfolk, VA (Paper 3.1)
- Öttl D, Kukkonen J, Almbauer RA, Sturm PJ, Pohjola M, Härkönen J (2001) Evaluation of a Gaussian and a Lagrangian model against a roadside dataset, with focus on low wind speed conditions. *Atmos Environ* 35: 2123–2132
- Piringer M, Baumann K (1999) Modifications of a valley wind system by an urban area – experimental results. *Meteorol Atmos Phys* 71: 117–125
- Vachon G (2001) Transfert des polluants des sources fixes et mobiles dans la canopée urbaine: évaluation expérimentale. Doctoral thesis, University of Nantes, 23 October 2001
- Vachon G, Rosant JM, Mestayer PG, Sini JF (1999) Measurements of dynamic and thermal field in a street canyon, URBCAP Nantes '99. In: 6th International Conference on Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes. 11-14 Octobre 1999, Rouen, France, Volume of Preprints, pp 239–240

- Vachon G, Rosant J-M, Mestayer PG, Louka P, Sini J-F (2000a) Pollutant Dispersion in an Urban Street Canyon in Nantes: Experimental Study. In: Proc. Symposium 2000 EUROTRAC-2, 27-31 March 2000, Garmish-Partenkirchen
- Vachon G, Rosant JM, Mestayer PG, Louka P, Sini JF, Delaunay D, Antoine MJ, Ducroz F, Garreau J, Griffiths R, Jones C, Lorin Y, Molle F, Péneau JP, Tétard Y, Violleau M (2000b) Experimental investigation of pollutant dispersion within a street in low wind conditions. In: 9th International Scientific Symposium Transport and Air Pollution, 5-8 Juin 2000, Avignon, France, Actes INRETS No 70, Ed. R. Joumard, vol 1, pp 95–102
- Vachon G, Louka P, Rosant JM, Mestayer PG, Sini JF (2002) Measurements of traffic-induced turbulence within a street-canyon during Nantes '99 experiment. *Water Air Soil Poll: Focus* 2, No 5-6: 127-140
- Wallenius L, Kukkonen J, Karppinen A, Walden J, Kartastenpää R, Koskentalo T, Aarnio P, Berkowicz R (2001) Evaluation of the OSPM model against the data measured during one year in Runeberg street, Helsinki. In: Cuvelier C et al.(eds) Seventh International Conference on Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes. Joint Research Centre, European Commission, Ispra, Italy, pp 72–75

URL 4.1: <http://medias.obs-mip.fr/escompte>

Chapter 5

- Adams HS, Nieuwenhuijsen MJ, Colvile RN, McMullen MAJ, Khandelwal P (2001a) Fine particle (PM_{2.5}) personal exposure levels in transport microenvironments, London, UK. *Sci Total Environ* 279(1-3): 29-44
- Adams HS, Kenny LC, Nieuwenhuijsen MJ, Colvile R, Gussman R (2001b). Design and validation of a high flow personal sampler for PM_{2.5}. *J Exposure Anal Env Med* 11: 5-11
- Adams HS, Nieuwenhuijsen MJ, Colvile RN (2001c) Determinants of fine particle (PM_{2.5}) personal exposure levels in transport microenvironments. London, UK. *Atmos Environ* 35: 4557-4566
- Adams HS, Nieuwenhuijsen MJ, Colvile RN, Older MJ, Kendall M (2002) Assessment of road users' elemental carbon personal exposure levels. London, UK. *Atmos Environ*, 36: 5335-5342
- Airborne Particles Experts Group (1999) Source apportionment of airborne particulate matter in the United Kingdom. Department of Environment, Transport and Regions, UK
- Areskoug H, Camner P, Dahlén SE, Låstbom L, Nyberg F, Pershagen G (ed), Sydbom, A. (2000) Particles in ambient air – a health risk assessment. *Scand J Work Environ Health*, 26, Supplement 1: 1–96
- Benson PE (1984) CALINE 4 – A Dispersion Model for Predicting Air Pollutant Concentrations near Roadways, FHWA User Guide. Report No: FHWA/CA/TL-84/15, Trinity Consultants Inc., USA
- Bowsher J (2000) Evaluation and development of numerical algorithms for multi-component aerosol modelling in London. PhD Thesis, Imperial College London

- Bozó L (2000) Estimation of historical lead (Pb) deposition over Hungary. *Időjárás* 104: 161–172
- Bozó L, Pinto J, Kelecsényi S (2001) Source-receptor relationships of fine aerosol particles in Budapest. In: Midgley P, Reuther M, Williams M (eds) *Transport and Chemical Transformation in the Troposphere*. Springer Verlag, pp 1115–1118
- Gidhagen L, Johansson C, Ström J, Kristensson A, Swietlicki E, Pirjola L (2002) Model simulation of ultrafine particles inside a Road tunnel. *Atmos Environ*, submitted. Also presented at the EUROTRAC-2 conference in Garmisch Partenkirchen, Germany, 2002
- Harrison RM, Ping Shi J, Jones MR (1999) Continuous measurements of aerosol physical properties in the urban atmosphere. *Atmos Environ* 33: 1037–1047
- Havasi Á, Bozó L, Zlatev Z (2001) Model simulation on the transboundary contribution to the atmospheric sulfur concentration and deposition in Hungary. *Időjárás* 105: 135–144
- Hedberg E, Kristensson A, Ohlsson M, Johansson C, Johansson P-Å, Swietlicki E, Vesely V, Wideqvist U, Westerholm R (2002) Chemical and physical characterisation of emissions from birch wood combustion in a wood stove. *Atmos Environ* 36: 4823–4837
- Johansson C, Hadenius A, Johansson PÅ, Jonson T (1999a) NO₂ and Particulate matter in Stockholm – Concentrations and population exposure. The Stockholm Study on Health effects of Air Pollution and their Economic Consequences. Swedish National Road Administration. Borlänge, Sweden. Available at <http://www.slb.nu/lvf>
- Karppinen A, Härkönen J, Kukkonen J, Aarnio P, Koskentalo T (2002) Statistical model for assessing the portion of fine particulate matter transported regionally and long-range to urban air. *Scand J Work Environ Health*, 24 pp, in print
- Kemp K, Palmgren F (2000) The Danish Air Quality Monitoring Programme. Annual Report for 1999. Department of Atmospheric Environment, 69 pp.- NERI Technical Report 357
- Kerminen VM, Ojanen C, Pakkanen T, Hillamo R, Aurela M, Meriläinen J (2000) Low-molecular-weight dicarboxylic acids in an urban and rural atmosphere. *Aerosol Sci* 31: 349–362
- Kleeman MJ, Schauer JJ, Cass GR (2000) Size and composition of fine particulate matter emitted from motor vehicles. *Environ Sci Technol* 34: 1132–1142
- Kousa A, Kukkonen J, Karppinen A, Aarnio P, Koskentalo T (2002) A model for evaluating the population exposure to ambient air pollution in an urban area. *Atmos Environ* 36: 2109–2119
- Kristensson A, Johansson C, Swietlicki E, Zhou J, Westerholm R, Wideqvist U, Vesely V (2000) Traffic source characterisation using factor analysis of the gas- and particle phase measured in a road tunnel. In: Midgley PM, and Reuther M (eds) *Proc. EUROTRAC-2 Symposium 2002*. Margraf Verlag, Weikersheim
- Kristensson A, Johansson C, Swietlicki E, Zhou J, Westerholm R, Wideqvist U, Vesely V (2000) Traffic source characterisation using factor analysis of the gas- and particle phase measured in a road tunnel. In: Midgley PM, and Reuther M (eds) *Proc. EUROTRAC-2 Symposium 2002*. Margraf Verlag, Weikersheim
- Kristensson A, Johansson C, Swietlicki E, Westerholm R, Wideqvist U, Vesely V, Zhou J, Papaspiropoulos G (2001) Emission of gases and particulate matter measured in a road tunnel. In: *Proc. 3rd International Conference on Urban Air Quality — Measurement, modelling and management*, 19–23 March, 2001, Loutraki, Greece

- Kukkonen J, Härkönen J, Karppinen A, Pohjola M, Pietarila H, Koskentalo T (2001a) A semi-empirical model for urban PM₁₀ concentrations, and its evaluation against data from an urban measurement network. *Atmos Environ* 35: 4433–4442
- Kukkonen J, Härkönen J, Walden J, Karppinen A, Lusa K (2001b) Evaluation of the dispersion model CAR-FMI against data from a measurement campaign near a major road. *Atmos Environ* 35-5: 949–960
- Lai ACK, Nazaroff WW (2000) Modeling indoor particle deposition from turbulent flow onto smooth surfaces. *J Aerosol Sci* 31: 463
- Laurikko JK (1998) On exhaust from petrol-fuelled passenger cars at low ambient temperatures. VTT Publications 348, Technical Research Centre of Finland, Espoo
- McMurry PH (2000) A review of atmospheric aerosol measurements. *Atmos Environ* 34, 1959–1999
- Morawska L, Johnson G, Ristovski ZD, Agranovski V (1999) Relation between particle mass and number for submicrometer airborne particles. *Atmos Environ* 33: 1983–1990
- Pakkanen TA, Kerminen VM, Ojanen CH, Hillamo RE, Aarnio P, Koskentalo T (2000) Atmospheric black carbon in Helsinki. *Atmos Environ* 34: 1497–1506
- Pakkanen TA, Kerminen VM, Korhonen CH, Hillamo RE, Aarnio P, Koskentalo T, Maenhaut W (2001a) Urban and rural ultrafine (PM_{0.1}) particles in the Helsinki area. *Atmos Environ* 35: 4593–4607
- Pakkanen TA, Loukkola K, Korhonen CH, Aurela M, Mäkelä T, Hillamo RE, Aarnio P, Koskentalo T, Koussa A, Maenhaut W (2001b) Sources and chemical composition of atmospheric fine and coarse particles in the Helsinki area. *Atmos Environ* 35: 5381–5391
- Pakkanen TA, Kerminen VM, Korhonen CH, Hillamo RE, Aarnio P, Koskentalo T, Maenhaut W (2001c) Use of atmospheric elemental size distributions in estimating aerosol sources in the Helsinki area. *Atmos Environ* 35: 5537–5551
- Pakkanen TA, Hillamo RE (2002) Comparison of sampling artifacts and ion balances for a Berner low-pressure impactor and a virtual impactor. *Boreal Environ Res* 7: 129–140
- Palmgren F, Wählin P, Berkowicz R, van Dingenen R (2001) Fine Particles from Traffic. In: Midgley P, Reuther M, Williams M (eds) *Transport and Chemical Transformation in the Troposphere*. Springer Verlag, pp 123–131
- Pietarila H, Salmi T, Saari H, Pesonen R (2001) The preliminary assessment under the EC air quality directives in Finland SO₂, NO₂/NO_x, PM₁₀, lead. Report, Finnish Meteorological Institute
- Pirjola L, Kulmala M (2000) Aerosol dynamical model MULTIMONO. *Boreal Environ Res* 5: 361–374
- Pohjola M, Koussa A, Aarnio P, Koskentalo T, Kukkonen J, Härkönen J, Karppinen A (2000) Meteorological interpretation of measured urban PM_{2.5} and PM₁₀ concentrations in the Helsinki Metropolitan Area. In: Longhurst JWS, Brebbia CA, Power H (eds) *Air Pollution VIII*. Wessex Institute of Technology Press, pp 689–698
- Pohjola MA, Koussa A, Kukkonen J, Härkönen J, Karppinen A, Aarnio P, Koskentalo T (2002) The spatial and temporal variation of measured urban PM₁₀ and PM_{2.5} concentrations in the Helsinki Metropolitan Area. *Water Air Soil Poll: Focus* 2, No 5-6: 189–201
- Pohjola MA, Pirjola L, Kukkonen J, Kulmala M (2003) Modelling of the influence of aerosol processes for the dispersion of vehicular exhaust plumes in street environment. *Atmos Environ* 37: 339–351

- Pope CA (2000) Review: Epidemiological basis for particulate air pollution health standards. *Aerosol Sci Tech* 32(1): 4–14
- Quality of the Urban Air Review Group (1996) *Airborne Particulate Matter in the United Kingdom*. Published for the Department of Environment, Transport and Regions (DETR), UK
- Scaperdas A, Colvile R (1999) Assessing the representativeness of monitoring data from an urban intersection site in Central London, UK. *Atmos Environ* 33: 661–674
- San José R, Cortés J, Prieto JF, González RM (1998) Accurate ozone prognostic patterns for Madrid Area by using a high spatial and temporal Eulerian Photochemical Model. *Environ Monit Assess* 52: 203–212
- Singles RJ, Carruthers DJ (1999) ADMS-Urban Air Quality Management System: Some examples of applications and validation in the UK. In: *Proc. EUROTRAC Symposium 98*. 821, WIT Press, Southampton
- Sokhi RS, Fisher B, Lester A, McCrea I, Bualert S and Sootornsit N (1998) Modelling of air quality around roads. In: *Proceedings from the 5th International Conference On Harmonisation with Atmospheric Dispersion Modelling for Regulatory Purposes*. 18–21 May 1998, Greece, pp 492–497
- Sokhi RS, Bualert S, Luhana L, Tremper A, Burton MA (2000a) Monitoring and modelling of NO₂ and fine particles for urban air quality management. *SAMS*, 37, pp 329–343
- Sokhi RS, San Jose R, Moussiopoulos N, Berkowicz R(ed) (2000b) *Urban Air Quality – Measurement, Modelling and Management*. Kluwer Academic Publishers, pp 484
- Sokhi RS, Bartzis JG (2002) *Urban Air Quality – Recent Advances*. A special issue of *Water, Air and Soil Pollution: Focus* 2, No5-6: pp 1-757
- Tiitta P, Raunemaa T, Tissari J, Yli-Tuomi T, Leskinen A, Kukkonen J, Härkönen J, Karppinen A (2002) Measurements and modelling of PM_{2.5} concentrations near a major road in Kuopio, Finland. *Atmos Environ* 36/25: 4057–4068
- WHO (1999) *Overview of the environment and health in Europe in the 1990's*. WHO Regional Office of Europe, Executive Summary for the Third European Conference on Environment and Health, London
(<http://www.who.dk/london99/WelcomeE.htm>)
- WHO (2000) *Methodology for assessment of environmental burden of disease: Report on the ISEE session on environmental burden of disease*. Buffalo, 22 August 2000, WHO/SDE/WSH/00.7.
http://www.who.int/environmental_information/Disburden/wsh007/Methodan1.htm
- Wählin P, Palmgren F, van Dingenen R (2001a) Experimental studies of ultrafine particles in streets and the relationship to traffic. *Atmos Environ* 35: 63–69
- Wählin P, Palmgren F, van Dingenen R, Raes F (2001b) Pronounced decrease of ambient particle number emissions from diesel traffic in Denmark after reduction of the sulphur content in diesel fuel. *Atmos Environ* 35/21: 3549-3552

URL 5.1: <http://www.slb.nu.lvf>

URL 5.2: <http://www.airpollution.org.uk/dapple>

Chapter 6

- Abart B, Sini JF, Mestayer PG (2000) First order turbulence modeling for the stratified atmospheric boundary layer. In: AMS 14th Symposium Boundary Layers and Turbulence. 7-11 August 2000, Aspen, Colorado
- Almbauer RA (1995) A new finite volume discretisation for solving the Navier-Stokes equations. In: Numerical Methods in Laminar and Turbulent Flow. Pineridge Press, Swansea, UK, vol 9, pp 286–295
- Almbauer R, Pucher K, Sturm PJ (1995) Air quality modelling for the city of Graz, *Metereology and Atmospheric Physics* 57. Springer Verlag, Wien New York, pp 31–42
- Anquetin S, Chollet JP, Copalle A, Mestayer P, Sini JF (1998) The urban atmosphere model SUBMESO. In: Borrell, PM, Borrell P (eds) Proc. EUROTRAC-2 Symposium '98. WITpress, Southampton, pp 750-757
- Assimakopoulos V, Louka P, Moussiopoulos N, ApSimon H, Sahn P (2002) Evaluation of the microscale model MIMO with wind-tunnel measurements. In: Midgley PM, and Reuther M (eds) Proc. EUROTRAC-2 Symposium 2002. Margraf Verlag, Weikersheim 2002
- Berkowicz R, Hertel O, Sorensen N, Michelsen J (1997) Modelling air pollution from traffic in urban areas. In: Perkins R, Belcher S (eds) Flow and Dispersion through Groups of Obstacles. Clarendon Press, Oxford, pp 121–141
- Berkowicz R, Ketzel M, Vachon G, Louka P, Rosant JM, Mestayer PG, Sini JF (2002) Examination of traffic pollution distribution in a street using the Nantes'99 experimental data and comparison with model results. *Water Air Soil Poll: Focus* 2, No 5-6: 311-324
- Borrego C, Martins JM, Tome M, Carvalho A, Barros N, Pinto C (2001) Wind tunnel validation of VADIS, a numerical model simulating flow and dispersion around building sets. In: Midgley PM, Reuther M, Williams M (eds) Proc. EUROTRAC-2 Symposium 2000. Springer-Verlag, Berlin
- Carruthers DJ, Edmunds HA, Bennet M, Woods PT, Milton MJT, Robinson R, Underwood BY, Franklin CJ (1997) Validation of the ADMS dispersion model and assessment of its performance relative to R-91 and ISC using archived LIDAR data. *Int J Environ Poll* 8, Nos 3-6, 264–278
- Carruthers DJ, Dixon P, McHugh CA, Nixon SG, Oates W (1999a) Determination of compliance with uk and eu air quality objectives from high resolution pollutant concentration maps calculated using ADMS-Urban. In: Proc. 6th Conference on Harmonisation within dispersion modelling for regulatory purposes, October 1999, Rouen, France, to be published in *Int J Environ Pollut*
- Carruthers DJ, McHugh CA, Nixon SG (1999b) Use of ADMS-Urban to calculate high resolution air quality maps in urban areas. CERC, 3 King's Parade, Cambridge, CB2 1SJ, UK
- DePaul FT, Sheih CM (1986) Measurements of wind velocities in a street canyon. *Atmos Environ* 20: 455–459
- Dierer S (1997) Evaluierung des mesoskaligen Transport- und Strömungsmodells METRAS. Diplomarbeit, Fachbereich Geowissenschaften, Universität Hamburg, pp 120

- Dupont S, Guilloteau E, Mestayer PG (2000) Energy balance and surface temperatures of urban quarters. In: Proc. AMS 3rd Symposium on Urban Environment. 14-18 August 2000, Davis, California, pp 149–150
- Dupont S, Calmet I, Mestayer PG (2002) Urban canopy modeling influence on urban boundary layer simulation, In: Proceedings of the AMS 4th symposium on Urban Climatology. Norfolk, VA
- Ehrhard J, Khatib IA, Winkler C, Kunz R, Moussiopoulos N, Ernst G (2000) The Micro-scale Model MIMO: development and assessment. *J Wind Eng Ind Aerodyn* 85: 163–176
- Galmarini S, Thunis P (2000) Mesoscale model interComparison: Results Analysis. <http://rem.jrc.cec.eu.int/~galmarin/mesocom/results/index.html>
- Goetting J, Winkler C, Rau M, Moussiopoulos N, Ernst G (1997) Dispersion of a passive pollutant in the vicinity of a U-shaped building. *Int J Environ Pollut* 8, Nos 3-6: 718–726
- Gronski KE, Walker SE, Gram F (1992) Evaluation of a model for hourly spatial concentrations distributions. *Atmos Environ* 27B: 105-120
- Härkönen J, Valkonen E, Kukkonen J, Rantakrans E, Jalkanen L, Lahtinen K (1995) An operational dispersion model for predicting pollution from a road. *Int J Environ Pollut* 5, Nos 4-6: 602–610
- Jicha M, Katolický J, Pospisil J (2000) Dispersion of Pollutants in street canyon under traffic induced flow and turbulence. *Int J Environ Monitor Assess* 65: 343–351
- Karppinen A, Kukkonen J, Elolähde T, Konttinen M, Koskentalo T (2000a) A modelling system for predicting urban air pollution, Comparison of model predictions with the data of an urban measurement network. *Atmos Environ* 34-22 pp 3735–3743
- Karppinen A, Kukkonen J, Elolähde T, Konttinen M, Koskentalo T, Rantakrans E (2000b) A modelling system for predicting urban air pollution, Model description and applications in the Helsinki metropolitan area. *Atmos Environ* 34-22, pp 3723–3733
- Kastner-Klein P, Fedorovich E, Sini JF, Mestayer PG (2000) Experimental and numerical verification of similarity concept for dispersion of car exhaust gases in urban street canyons. *Int J Environ Monitor Assess* 65: 353–361
- Kastner-Klein P, Berkowicz R, Fedorovich E (2001) Evaluation of Scaling Concepts for Traffic-Produced Turbulence Based on Laboratory and Full-Scale Concentration Measurements in Street Canyons. In: Proc. 3rd International Conference on Urban Air Quality. 19-23 March 2001, Loutraki
- Kessler E (1969) On the distribution and continuity of water substance in the atmospheric circulations. *Meteor Monogr* 10 (32)
- Ketzel M, Louka P, Sahm P, Guilloteau E, Sini JF, Moussiopoulos N (2002) Intercomparison of Numerical Urban Dispersion Models - Part II: Street Canyon in Hannover, Germany. *Water Air Soil Pol.: Focus* 2, No 5-6: 603-613
- Kousa A, Kukkonen J, Karppinen A, Aarnio P, Koskentalo T (2001) Statistical and diagnostic evaluation of a new-generation urban dispersion modelling system against an extensive dataset in the Helsinki Area. *Atmos Environ*, 35/27: 4617–4628
- Kovar-Panskus A, Louka P, Mestayer PG, Savory E, Sini JF, Toy N (2001) Influence of Geometry on the Flow and Turbulence Characteristics Within Urban Street Canyons - Intercomparison of Wind Tunnel Experiments and Numerical Simulations. *Water Air Soil Poll: Focus* 2, No 5-6: 365-380

- Kukkonen J, Härkönen J, Walden J, Karppinen A, Lusa K (2001a) Evaluation of the dispersion model CAR-FMI against data from a measurement campaign near a major road. *Atmos Environ* 35: 949–960
- Kukkonen J, Kousa A, Karppinen A, Aarnio P, Koskentalo T (2001b) A Model of the Exposure of Population to Ambient Air Pollution, and Numerical Results in Helsinki. Proc of the 3rd International Conference on Urban Air Quality, Measurement, Modelling and Management. 19-23 March 2001, Loutraki, Greece
- Kunz R, Moussiopoulos N (1995) Simulation of the wind field in Athens using refined boundary conditions. *Atmos Environ* 29: 3575–3591
- Kunz R, Khatib I, Moussiopoulos N (2000) Coupling of Mesoscale and Microscale models—An approach to simulate scale interaction. *Environ Modell Softw* 15: 597–602
- Larssen S, Grønskei KE, Gram F, Hagen LO, Walker SE (1994) Verification of urban scale time dependent dispersion model with subgrid elements in Oslo, Norway. In: *Air Pollution Modelling and its Appl.* X. Plenum Press, New York
- de Leeuw F, Moussiopoulos N, Sahn P, Bartonova A (2002) Urban air quality in larger conurbations in the European Union. *Environ Modell Softw* 16: 399–414
- Lenz CJ, Müller F, Schlünzen KH (2000) The sensitivity of mesoscale chemistry transport model results to boundary values. *Environ Monit Assess* 65: 287–298
- Louka P, Vachon G, Sini JF, Mestayer PG, Rosant JM (2002) Thermal effects on the air-flow in a street canyon - Nantes '99 experimental results and model simulation. *Water Air Soil Poll: Focus* 2, No 5-6: 351–364
- Lüpkes C, Schlünzen KH (1996) Modelling the Arctic convective boundary-layer with different turbulence parameterizations. *Boundary-Layer Meteorol* 79: 107–130
- Martilli A, Clappier A, Rotach MW (2000) The urban atmospheric boundary layer: A modelling study. In: 16th IMACS World Congress 2000, Session on Urban Air pollution Modeling. 21-25 August, 2000, Lausanne, Switzerland
- Martins JM, Borrego C (1998) Describing the dispersion of pollutants near buildings under low wind-speeds: real scale and numerical results. Proc. *Envirosoft 98*, WIT, Las Vegas
- Mensink C, De Ridder K, Lewyckyj N, Delobbe L, Van Haver Ph, Janssen L (2001) Air quality modelling in Urban Regions using an Optimal Resolution Approach (AURORA). In: Proc. 7th International Conference on Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes. May 2001, Belgirate, European Commission, Joint Research Centre, Ispra, pp 459–463
- Mestayer PG (1996) Development of the French Communal Model SUBMESO for Simulating Dynamics, Physics and Photochemistry of the Urban Atmosphere. In: Borrell PM, Borrell P, Cvitas T, Kelly K, Seiler W (eds) Proc. EUROTRAC-2 Symposium '96. Computational Mechanics Public., Southampton, pp 539–544
- Moussiopoulos N (1987) An efficient scheme to calculate radiative transfer in mesoscale models. *Environ Softw* 2(4): 172–191
- Moussiopoulos N (1989) Mathematische Modellierung mesoskaliger Ausbreitung in der Atmosphäre. *Fortschr.-Ber., VDI, Reihe 15*, 64: 307
- Moussiopoulos N (1995) The EUMAC Zooming Model, a tool for local-to-regional air quality studies. *Meteorol Atmos Phys* 57: 115–133
- Moussiopoulos N, Papagrigroriou S (eds) (1997) Athens 2004 Air Quality. In: Proc. International Scientific Workshop "Athens 2004 Air Quality Study". 18-19 February 1997, Athens, 183 pp Available also as a CD-ROM from <http://www.envirocomp.org/>

- Moussiopoulos N, Sahm P (1998a) A new approach for assessing ozone exposure and for evaluating control strategies at the urban scale. In: Brebbia CA, Ratto CF, Power H (eds) *Air Pollution VI*, WIT press, Computational Mechanics Publications, Southampton, pp 495-504
- Moussiopoulos N, Sahm P (1998b) The OFIS model: An efficient tool for assessing ozone exposure and evaluating air pollution abatement strategies. In: Bartzis JG, Konte K (eds) *Proc. 5th Conference on Harmonization within Atmospheric Dispersion Modelling for Regulatory Purposes*, 18-21 May 1998, Rhodos, pp 631-638
- Moussiopoulos N, Sahm P (2000) The OFIS model: an efficient tool for assessing ozone exposure and evaluating air pollution abatement strategies. *Int J Environ Pollut* 14: 597-606
- Moussiopoulos N, Sahm, Kessler Ch (1995) Numerical simulation of photochemical smog formation in Athens, Greece-a case study. *Atmos Environ* 29: 3619-3632
- Moussiopoulos N, Sahm P, Kunz R, Vögele T, Schneider Ch, Kessler Ch (1997) High resolution simulations of the wind flow and the ozone formation during the Heilbronn ozone Experiment. *Atmos Environ* 31: 3177-3186
- Müller F, Schlünzen KH, Schatzmann M (2000) Test of numerical solvers for chemical reaction mechanisms in 3D air quality models. *Environ Modell Soft* 15: 639-646
- Öttl D (2000) Weiterentwicklung, Validierung und Anwendung eines mesoskaligen Modells. Dissertation, Karl Franzens Universität Graz, pp 155
- Öttl D, Almbauer RA, Sturm PJ (2001) A new method to estimate diffusion in stable, low wind conditions. *J Applied Meteorol* 40: 259-268
- Öttl D, Kukkonen J, Almbauer RA, Sturm PJ, Pohjola M, Härkönen J (2001) Evaluation of a Gaussian and a Lagrangian model against a roadside dataset, with focus on low wind speed conditions. *Atmos Environ* 35: 2123-2132
- Pankus H (2000) Konzept zur Evaluation hindernisauflösender mikroskaliger Modelle und seine Anwendung auf das Modell MITRAS. *Fortschritt-Berichte VDI*, VDI-Verlag, Düsseldorf, 7-389, pp 97
- Pankus H, Schlünzen KH (1997) Standards for writing and documentation Fortran 90 code for the MITRAS/METRAS model system. *MITRAS Technical Report Nr. 1*. http://www.mi.uni-hamburg.de/technische_meteorologie/Meso/mitras/mitras.html
- Pénelon T, Calmet I, Mestayer P (2002) Influence of a Small-Scale Topography on the Dynamics of Atmospheric Boundary Layer Flows. In: *15th Symposium on Boundary Layers and Turbulence*, 15-19 July 2002, Wageningen, The Netherlands
- Qin Y, Kot SC (1993) Dispersion of vehicular emission in street canyons, Guangzhou city, South china (P.R.C.). *Atmos Environ* 27B: 283-291
- Sahm P, Moussiopoulos N (1995) MUSE - a multilayer dispersion model for reactive pollutants, in *Air Pollution III*. In: Power H, Moussiopoulos N, Brebbia CA (eds) *Computational Mechanics Publications*, Southampton, 1: 359-368
- Sahm P, Moussiopoulos N (1996) MUSE - A new three layer photochemical dispersion model. In: Borrell PM, Borrel P, Cvitas T, Kelly K, Seiler W (eds) *Proc. EUROTRAC Symposium '96*. Computer Mechanics Publications, Southampton, pp 553-557
- Sahm P, Moussiopoulos N (1999) The OFIS model: A new approach in urban scale photochemical modeling. *EUROTRAC Newsletter* 21, pp 22-28
- Sahm P, Kirchner F, Moussiopoulos N (1998) Development and Validation of the Multilayer Model MUSE - The Impact of the Chemical Reaction Mechanism on Air Quality Predictions. In: Gryning SE, Chaumerliac N (eds) *Air Pollution Modelling and its Application XII*, Kluwer Academic/Plenum Publishers, New York, pp 379-388.

- Sahm P, Moussiopoulos N, Theodoridis G, Assimakopoulos V, Berkowicz R (2000) Chapter 1.5 - The Influence of Fast Chemistry on the Composition of NO_x in the Emission Input to Atmospheric Dispersion Models in TRAPOS final report
- Sahm P, Louka P, Ketzler M, Guilloteau E, Sini JF (2002) Intercomparison of Numerical Urban Dispersion Models - Part I: Street Canyon and Single Building Configurations. *Water Air Soil Poll: Focus 2*, No 5-6: 587-601
- von Salzen K, Claussen M, Schlünzen KH (1996) Application of the concept of blending height to the calculation of surface fluxes in a mesoscale model. *Meteorol Zeitschrift*, N.F. 5, pp 60–66
- Scaperdas A, Colville RN, Robins AG (2000) Understanding flow patterns at street canyon intersections using wind tunnel and CFD simulations. In: Borrell PM, Borrell P (eds) Proc. EUROTRAC-2 Symposium 1998. WITpress, Boston Southampton, pp 796
- Schlünzen KH (1990) Numerical studies on the inland penetration of sea breeze fronts at a coastline with tidally flooded mudflats. *Beitr Phys Atmosph* 63: 243–256
- Schlünzen KH (1994) Mesoscale modelling in complex terrain - an overview on the German nonhydrostatic models. *Beitr Phys Atmosph* 67: 243–253
- Schlünzen KH (1996) Validierung hochauflösender Regionalmodelle. Ber. aus dem Zentrum f. Meeres- und Klimaforschung, Meteorologisches Institut, Universität Hamburg, A23, pp 184
- Schlünzen KH (1997) On the validation of high-resolution atmospheric mesoscale models. *J Wind Eng Ind Aerodyn* 67 & 68: 479–492
- Schlünzen KH (2001) Model inventory for EUROTRAC-2 subproject SATURN. In: Midgley PM, Reuther M, Williams M (eds) Proc. EUROTRAC-2 Symposium 2000, Springer Verlag, Berlin
- Schlünzen KH (2002) SATURN model overview
http://www.mi.uni-hamburg.de/technische_meteorologie/Meso/saturn/overview.html
- Schlünzen KH (2002) Simulation of transport and chemical transformations in the atmospheric boundary layer - review on the past 20 years developments in science and practice. *Meteorol Z* 11: 303-313
- Schlünzen KH, Hinneburg D, Knoth O, Lambrecht M, Leidl B, Lopez S, Lüpkes C, Panskus H, Renner E, Schatzmann M, Schoenemeyer T, Trepte S, Wolke R (2002) Flow and transport in the obstacle layer - First results of the microscale model MITRAS. *J Atmos Chem*, in print
- Silibello C, Calori G, Brusasca G, Catenacci G, Finzi G (1998) Application of a photochemical grid model to Milan metropolitan area. *Atmos Environ* 32: 2025–2038
- Sini JF, Anquetin S, Mestayer PG (1996). Pollutant dispersion and thermal effects in urban street canyons. *Atmos Environ* 30: 2659–2677
- Sokhi RS, Fisher B, Lester A, McCrea I, Bualert S, Sootornstitt N (1998) Modelling of air quality around roads. In: Proc. 5th International Conference of Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes. 18-21 May 1998, Rhodes, pp 492–497
- Stephens GL (1978) Radiation profiles in extended water clouds. II: Parameterization schemes, *J Atmos Sci* 35: 2123–2132
- Vachon G, Louka P, Rosant JM, Mestayer PG, Sini JF (2002) Measurements of traffic-induced turbulence within a street-canyon during Nantes '99 experiment. *Water Air Soil Poll: Focus 2*, No 5-6: 127-140
- Yamartino RJ, Scire JS, Carmichael GR, Chang YS (1992) The CALGRID mesoscale photochemical grid model-I: Model formulation. *Atmos Environ* 26A: 1493–1512

Yamartino RJ (1993) Nonnegative, conserved scalar transport using grid-cell-centered, spectrally constrained Blackman cubics for applications on a variable-thickness mesh. *Mon Weather Rev* 121: 753–763

URL 6.1: <http://www.dmu.dk/AtmosphericEnvironment/TRAPOS>

URL 6.2: <http://www.mi.uni-hamburg.de/cedval>

URL 6.3: http://reports.eea.eu.int:80/Topic_report_No_032001

Chapter 7

- Borrego C, Barros N, Miranda AI, Carvalho AC, Valinhas MJ (1998) Validation of two photochemical numerical systems under complex mesoscale circulations. Proc. 23rd NATO/CCMS Int. Tech. Meeting on Air Pollution Modelling and its Application, Bulgaria
- Borrell P (1998) Quality Assurance and Quality Control in EUROTRAC-2. A statement by the Scientific Steering Committee (SSC). IFU Garmish-Paterkirchen
- Britter RE (1994) The Evaluation of technical models used for major-accident hazard installation. – Report EUR 14774 EN, Brussels
- Eichhorn J (1989) Entwicklung und Anwendung eines dreidimensionalen mikroskaligen Stadtklima-Modells. Dissertation, Universität Mainz, Germany
- Fox DG (1984) Uncertainty in Air Quality Modelling. *B Am Meteorol Soc* 65, No 1: 27–37
- Galmarini S, Bianconi R, Bellasio R, Graziani G (2001) Forecasting consequences of accidental releases from ensemble dispersion modelling. *J Environ Radioactiv* 57: 203–219
- Girardi F, Graziani G, van Veltzen D, Galmarini S, Mosca S, Bianconi R, Bellasio R, Klug W (eds) (1998) The ETEX project. EUR Report 181-43 EN. Office for official publications of the European Communities, Luxembourg, 108 pp
- Graziani G, Mosca S, Klug W (1998a) Real-time long-range dispersion model evaluation of ETEX first release. EUR 17754/EN. Luxembourg: Office for Official Publications of the European Commission
- Graziani G, Klug W, Galmarini S, Grippa G (1998b) Real-time long-range dispersion model evaluation of ETEX second release. EUR 17755/EN. Luxembourg: Office for Official Publications of the European Commission
- Hall RC (ed) (1997) Evaluation of modelling uncertainty - CFD modelling of near-field atmospheric dispersion. EU Project EV5V-CT94-0531, Final Report. WS Atkins Consultants Ltd., Woodcote Grove, Ashley Road, Epsom, Surrey KT18 5BW, UK
- Hanna SR (1994) Mesoscale meteorology model evaluation techniques with emphasis on needs of air quality models. In: Peilke RA, Pearce Sr and RP (eds) *Mesoscale Modelling of the Atmosphere*, American Meteorological Society, Boston, pp 47–58
- Hanna SR, Yang R (2001) Evaluation of mesoscale models' simulations of near-surface winds, temperatures and mixing depths. *J Applied Meteorol* 40: 1095–1104
- ISO 14050:1998 – Environmental Management – Vocabulary
- Ketzel M, Berkowicz R, Lohmeyer A (1999) Dispersion of traffic emissions in street canyons - Comparison of European numerical models with each other as well as with results from wind tunnel and field measurements. In: Proc. 2nd International Conference on Urban Air Quality, March 3-5, Madrid

- Ketzel M, Louka P, Sahn P, Guilloteau E, Sini JF, Moussiopoulos N (2002) Intercomparison of Numerical Urban Dispersion Models - Part II: Street Canyon in Hannover, Germany. *Water Air Soil Pol.: Focus* 2, No 5-6: 603-613
- Klug W, Graziani G, Grippa G, Pierce D, Tassone C (eds) (1992) Evaluation of long range atmospheric transport models using environmental radioactivity data from the Chernobyl accident. EUR Report 14147 EN, Office for official publications of the European Communities, Luxembourg, 366 pp
- Leitl B (2000) Validation Data for Microscale Dispersion Modelling. *EUROTRAC Newsletter* 22, pp 28–32
- Martinez JR, Javitz HS, Ruff RE, Valdes A, Nitz KC, Dabberdt WF (1981) Methodology for Evaluation Highway Air Pollution Dispersion Models. Transportation Research Board, USA
- MEG- Model Evaluation Group, Report on the second Open Meeting. By Cole ST and PJWicks, France (1994)
- Mosca S, Graziani G, Klug W, Bellasio R, Bianconi R (1998a) ATMES-II - Evaluation of long-range dispersion models using first ETEX release data. EUR 17756/EN. Luxembourg: Office for Official Publications of the European Commission
- Mosca S, Graziani G, Klug W, Bellasio R, Bianconi R (1998b) A statistical methodology for the evaluation of long-range dispersion models: an application to the ETEX exercise. *Atmos Environ* 32, No 24: 4307–4324
- Moussiopoulos N, Berge E, Böhler T, de Leeuw F, Grønskei KE, Mylona S, Tombrou M (1996) Ambient Air Quality, Pollutant Dispersion and Transport Models. European Topic Centre on Air Quality, Topic Report 19, 1996, European Environment Agency, EU Publications, Copenhagen, 94 pp
- Moussiopoulos N, de Leeuw F, Karatzas K, Bassoukos A (2000) The air quality model documentation system of the European Environment Agency. *Int J Environ Pollut* 14: 10–17
- Moussiopoulos N, Sahn P, Münchow S, Tonnesen D, de Leeuw F, Tarrasón L (2001) Uncertainty analysis of modeling studies included in air quality assessments. *Int J Environ Pollut* 16: 175-190
- NLÖ (1994) Lufthygienisches Überwachungssystem Niedersachsen - Luftschadstoffe in Straßenschluchten. Bericht, Niedersächsisches Landesamt für Ökologie, Göttinger Str. 14, 30449 Hannover, ISSN 0945 4187
- NLÖ (1995) Lufthygienisches Überwachungssystem Niedersachsen - Standortbeschreibung der LÜN Stationen. Bericht, Niedersächsisches Landesamt für Ökologie, Göttinger Str. 14, 30449 Hannover, ISSN 0945 4187 (in German)
- Pielke RA Sr (2002) Mesoscale meteorological modelling. 2nd edn. Academic Press, New York, 200, pp 676
- Schädler G, Bächlin W, Lohmeyer A, van Wees T (1996) Vergleich und Bewertung derzeit verfügbarer mikroskaliger Strömungs- und Ausbreitungsmodelle. In: *Berichte Umweltforschung Baden-Württemberg*, PEF 293001, (FZKA-PEF 138) (in German)
- Schatzmann M, Leitl B (2002) Validation and Application of obstacle resolving urban dispersion models. *Atmos Environ* 36: 4811–4821
- Schlünzen KH (1997) On the validation of high-resolution atmospheric mesoscale models. *J Wind Eng Ind Aerodyn* 67-68: 479–492
- Thunis P, Galmarini S, Martilli A, Clappier A, Andronopoulos S, Bartzis J, Vlachogianni M, de Ridder K, Moussiopoulos N, Sahn P, Almbauer R, Sturm P, Oettl D, Dierer S

- and Schluenzen H (2002) MESOCOM: An inter-comparison exercise of mesoscale flow models applied to an ideal case simulation. *Atmos Environ* in press
- US EPA – Guideline for Regulatory Application of the Urban Airshed Model. EPA-450/4-91-013 (1991)
- VDI-Richtlinie 3783, Blatt 9, 2002: Umweltmeteorologie. Prognostische mikroskalige Windfeldmodelle. Evaluierung für Gebäude- und Hindernisumströmung. Vor-Entwurf vom 15.1.2002 (in German)
- URL 7.1 <http://www.gsf.de/eurotrac/g-qa-qc.htm>
- URL 7.2: <http://rem.jrc.cec.eu.int/mesocom/>
- URL 7.3 http://rem.jrc.cec.eu.int/escompte_int
- URL 7.4: <http://www.mi.uni-hamburg.de/cedval>

Chapter 8

- Barros N, Borrego C (1995) Influence of coastal breezes on the photochemical production over the Lisbon region. In: Moussiopoulos N, Power H, Brebbia CA (eds) *Air Pollution III, Vol 3: Urban Pollution*. Computational Mechanics Publ., pp 67–74
- Bhugwant C, Cachier H, Bremaud P, Roumeau S, Leveau J (2000) Chemical effect of carbonaceous aerosols on the diurnal cycle of MBL ozone at a tropical site: measurements and simulations. *Tellus B* 52: 1232–1248
- Borrego C, Barros N, Coutinho M (1994): Application of two mesometeorological models to the Lisbon region: Preliminary conclusions. EUROTRAC Symposium '94, 11-15 April, Garmisch-Partenkirchen, Germany, pp 885
- Borrego C, Barros N, Miranda AI, Carvalho AC, Valinhas MJ (1998) Validation of two photochemical numerical systems under complex mesoscale circulations. 23rd Int. Tech. Meeting of NATO/CCMS on Air Pollution Modelling and its Application, September 28-October 2, Varna, Bulgaria, pp 411–418
- Borrego C, Barros N, Tchepel O (2000) An assessment of modelling ozone control abatement strategies in Portugal: the Lisbon urban area. Int. Tech. Meeting of NATO/CCMS on Air Pollution Modelling and its Application. 15-19 May, Boulder, Colorado, USA, pp 439–446
- Borghesi S, Giuliacci M (1980) Circulation features driven by diurnal heating in the lower atmospheric layers in the Po Valley. *Il Nuovo Cimento*, vol 3C, No 1
- Castro T, Madronich S, Rivale S, Muhlia A, Mar B (2001) The influence of aerosols on photochemical smog in Mexico City. *Atmos Environ* 35: 1765–1772
- Decanini E, Volta M (2002) Flexible modelling system for air pollution simulation and control in Northern Italy. In: Midgley PM and Reuther M (eds) *Proc. EUROTRAC-2 Symposium 2002*, Margraf Verlag, Weikersheim
- Dickerson RR, Kondragunta S, Stenchikov G, Civerolo KL, Doddridge BG, Holben BN (1997) The impact of aerosols on solar ultraviolet radiation and photochemical smog. *Science* 278: 827–830
- Dosio A, Emeis S, Graziani G, Junkermann W, Levy A (2001) Assessing the meteorological conditions in a deep Alpine valley system by a measuring campaign and simulation with two models during a summer smog episode. *Atmos Environ* 35: 5441–5454

- EMEP (1999) Transboundary Photo-oxidant air pollution in Europe. EMEP/MSC-W Status report 2/99. DNMI. Norway
- ENEL/Prod ULP (1998) Riconfigurazione della RRQA e Adempimenti Ambientali Concordati con la Provincia di Savona ai Sensi del Decreto M.I.C.A. del 23.06.93. - Caratterizzazione Meteorologica e della Qualità dell'Aria del Periodo Estivo, Relazione Tecnica 212VL11922
- Environment and Systems (1999) Photochemical pollution in the Basque Country Autonomous Community. Servicio Central de Publicaciones del Gobierno Vasco. Departamento de Ordenación del Territorio, Vivienda y Medio Ambiente. Vitoria-Gasteiz, Spain
- Finardi S, Tinarelli G, Nanni A, Brusasca G, Carboni G (1999) Evaluation of a 3D Flow and Pollutant Dispersion Modelling System to Estimate Climatological Ground Level Concentrations in Complex Coastal Sites. In: Proc. of the 6th International Conference on Harmonization within Atmospheric Dispersion Modelling for Regulatory Purposes. October 11-14, Rouen, France
- Finzi G, Volta M (2000) Real time urban ozone alarm system including neuro-fuzzy networks and grey box models. In: Proc. International ICSC/IFAC Symposium on NEURAL COMPUTATION-NC2000, ICSC Academic Press
- Finzi G, Silibello C, Volta M (2000) Evaluation of urban pollution abatement strategies by a photochemical dispersion model. *Int J Environ Pollut* 14: 1–6
- Finzi G, Volta M, Carnevale C, Ragni C (2002) POEMPM: an emission model for size and chemical description of particulate matter. In: Midgley PM, Reuther M (eds) Proc. EUROTRAC-2 Symposium 2002. Margraf Verlag, Weikersheim
- Gabusi V, Volta M, Veraldi S, Veronesi V (2001) Road Traffic Impact on Photochemical Pollution: Brescia Metropolitan Area Case. In: Midgley PM, Reuther M, Williams M (eds) Proc. EUROTRAC-2 Symposium 2000, Springer Verlag Berlin
- Gabusi V, Pertot C, Pirovano G, Volta M (2002) First results of a long-term simulation of photochemical smog in Northern Italy. In: P.M. Midgley, M. Reuther (eds) Proc EUROTRAC-2 Symposium 2002, Margraf Verlag, Weikersheim
- Gaffney JS, Marley NA, Drayton PJ, Doskey PV, Kotamarthi VR, Cunningham MM, Baird JC, Dintaman J, Hart HL (2002) Field observations of regional and urban impacts on NO₂, ozone, UVB, and nitrate radical production rates in the Phoenix air basin. *Atmos Environ* 36: 825–833
- Gangoiti G, Millán MM, Salvador R, Mantilla E (2001) Long-range transport and recirculation of pollutants in the western Mediterranean during the project Regional Cycles of Air Pollution in the West-Central Mediterranean Area. *Atmos Environ* 35: 6267–6276
- Gangoiti G, Alonso L, Navazo M, Albizuri A, Perez-Landa G, Matabuena M, Valdenebro V, Maruri M, García JA, Millán MM (2002) Regional transport of pollutants over the Bay of Biscay: analysis of an ozone episode under a blocking anticyclone in west-central Europe. *Atmos Environ* 36: 1349–1361
- He S, Carmichael GR (1999) Sensitivity of photolysis rates and ozone production in the troposphere to aerosol properties. *J Geophys Res* 104: 26307–26324
- Hogrefe C, Rao ST, Kasibhatla P, Hao W, Sistla G, Mathur R, McHenry J (2001) Evaluating the performances of regional-scale photochemical modeling systems: Part II Ozone predictions. *Atmos Environ* 35: 4175–2188

- IPCC 95 (1996) *Climate Change 1995: The Science of Climate Change*. Houghton JT, Meira Filho LG, Callander BA, Harris N, Kattenberg A, Maskell K (eds), Cambridge University Press
- Kalabokas PD, Bartzis JG (1998) Photochemical air pollution characteristics at the station of the NCSR-Demokritos, during the MEDCAPHOT-Trace campaign in Athens, Greece (20 August – 20 September 1994). *Atmos Environ* 32: 2123–2139
- Kallos G, Kassomenos P, Pielke R (1993) Synoptic and mesoscale weather conditions during air pollution episodes in Athens, Greece, *Boundary-Layer Meteorol* 62: 163–184
- Kasibhatla P, Chameides WL (2000) Seasonal modeling of regional ozone pollution in the Eastern United States. *Geophys Res Lett* 27: 1415–1418
- Kassomenos P, Flocas HA, Lycoudis S, Petrakis M (1998a) Analysis of mesoscale patterns in relation to synoptic conditions over an urban Mediterranean basin. *Theor Appl Climatol* 59: 215–219
- Kassomenos PA, Flocas HA, Lykoudis S, Skouloudis A (1998b) Spatial and temporal characteristics of the relationship between air quality status and mesoscale circulation over an urban Mediterranean basin. *Sci Total Environ* 217: 37–57
- Kondratyev Kya, Varotsos CA (2000) Investigation tropospheric ozone in Europe. *Ecological Chem* 9(1-2): 3–9
- Kruger BC, Kroger H, Wotawa G, Kromp-Kolb H (2000) Lagrangian Photochemical Model Calculations for the Milan Area. In: Midgley PM, Reuther M, Williams M (eds) *Proc. EUROTRAC-2 Symposium 2000*, Springer Verlag, Berlin
- Lawson DR (1990) The southern California air quality study. *J Air Waste Manage Assoc* 40: 156–165
- Lee DS, Holland MR, Falla N (1996) The potential impact of ozone on materials in the U.K. *Atmos Environ* 30: 1053–1065
- de Leeuw F, Bogman F (2001) Air pollution by ozone in Europe in summer 2001 - Overview of exceedances of EC ozone threshold values during the summer season April–August 2001. EEA Topic Report No 13/2001. European Environmental Agency, Copenhagen
- de Leeuw F, de Paus TA (2001) Exceedance of EC ozone threshold values in Europe in 1997. *Water Air Soil Poll* 128: 255–281
- de Leeuw F, Sluyter R, van Zantvoort E (1998) Exceedance of Ozone Threshold Values in 1996 and Summer 1997. European Topic Centre on Air Quality of the European Environment Agency. Topic Report 97/10. Office for Official Publications of the European Communities, Luxembourg
- Milford J, Gao D, Sillman S, Blossery P, Russel AG (1994) Total reactive nitrogen (NO_y) as an indicator for sensitivity of ozone to NO_x and hydrocarbons. *J Geophys Res* 99: 3533–3542
- Millán MM, Sanz MJ, Salvador R, Mantilla E (2002) Atmospheric dynamics and ozone cycles related to nitrogen deposition in the western Mediterranean. *Environ Pollut* 118: 167–186
- Monteiro A, Lopes M, Borrego C, Miranda AI (2002) Contribution of air pollution to the management of carbon cycle on a Portuguese coastal region. In: Brebbia CA (ed) *Coastal Environment 2002*. 14–19 September, Rhodes, Greece, 2002, Environmental Coastal Regions VI, WITpress Southampton, pp 395–404
- Moussiopoulos N, Sahm P, Turlou PM, Friedrich R, Wickert B, Reis S, Simpson D (1998) Technical Expertise in the Context of the Commission's Communication on an Ozone Strategy. Final report to European Commission DGXI, pp 36

- Moussiopoulos N, Papalexiou S, Lammel G, Arvanitis A (2000) Simulation of nitrous acid formation taking into account heterogeneous pathways: Application to the Milan metropolitan area. *Environ Modell Softw* 15: 629–637
- Neftel A, Clappier A, Favaro G, Martilli A (2000) Simulation of the Ozone Formation in the Northern Part of the Po Valley with the TVM-CTM. In: EUROTRAC-2 Symposium 2000. March 27-31, 2000, Garmish-Partenkirchen
- Neftel A, Spirig C, Kleinman L, Sillman S (2002) The VOC/NO_x sensitivity of the ozone production in the troposphere - an important issue?! LOOP Gerzensee Background document, pp 1–51
- Prevot ASH, Staehelin J, Kok GL, Schillawski RD, Neining B, Staffelbach T, Neftel A, Wernli H, Dommen J (1997) The Milan photooxidant plume. *J Geophys Res* 102: 23375–23388
- Pujadas M, Plaza J, Terés J, Artiñano B, Millán M (2000) Passive remote sensing of nitrogen dioxide as a tool for tracking air pollution in urban areas: the Madrid urban plume, a case of study. *Atmos Environ* 34: 3041–3056
- de Reus M, Dentener F, Thomas A, Borrmann S, Strom J, Lelieveld J (2000) Airborne observations of dust aerosol over the North Atlantic Ocean during ACE 2: Indications for heterogeneous ozone destruction. *J Geophys Res* 105: 15263–15275
- Sahm P, Moussiopoulos N, Theodoridis G, Assimakopoulos V, Berkowicz R (2000) Chapter 1.5 - The Influence of Fast Chemistry on the Composition of NO_x in the Emission Input to Atmospheric Dispersion Models in TRAPOS final report
- San José R, Salas I (2000) A sensitivity analysis study of the impact of traffic (city and surrounding areas) to the ozone air concentrations during 1999 ozone episode in Madrid (Spain). In: Midgley PM, Reuther M, Williams M (eds) Proc. EUROTRAC-2 Symposium 2000, Springer Verlag, Berlin
- San José R, Stohl A, Karatzas K, Böhler T, James P, Salas I (2001) An extraordinary ozone episode in Madrid (April, 2000) during night time: a modelling study. In: 7th Int. Conf. Harmonization within Atmospheric Dispersion Modelling for Regulatory Purposes. 28-31 May, 2001, Belgirate, Italy, pp 390–394
- Silibello C, Catenacci G, Pirovano G (2000) The use of indicator concept to evaluate Ozone-NO_x-VOC sensitivity during an ozone episode over Northern Italy. In: Proc 29th International Conference of Automation and Decision Making, pp 509–518
- Silibello C, Calori G, Pirovano G, Carmichael GR (2001) Development of STEM-FCM (Flexible Chemical mechanism) modelling system – Chemical mechanisms sensitivity evaluated on a photochemical episode. In: APMS'01 Conference, April 9-13 2001, Paris
- Sillman S (1995) The use of NO_y, H₂O₂ and HNO₃ as indicators for ozone-NO_x-hydrocarbons sensitivity in urban locations. *J Geophys Res* 100: 14175–14188
- Sillman S (1999) The relation between ozone, NO_x and hydrocarbons in urban and polluted rural environments. *Atmos Environ* 33: 1821–1845
- Simpson D (1995) Biogenic emissions in Europe 2. Implications for ozone control strategies. *J Geophys Res* 100: 22891–22906
- Toll I, Baldasano JM (1999) Photochemical Modelling of the Barcelona Area under Weak Pressure Synoptic Conditions. *Atmospheric Environment In: Air Pollution VI. Computational Mechanics Publications*
- Toll I, Baldasano JM (2000) Modelling of photochemical air pollution in the Barcelona area with highly disaggregated anthropogenic and biogenic emissions. *Atmos Environ* 34: 3069–3084

- Veraldi S, Veronesi V, Volta M (2000) Traffic emission abatement strategies: Brescia metropolitan area case study. In: Proc. 29th International Conference of Automation and Decision Making, Milano
- Vogel B, Riemer N, Vogel H, Fiedler F (1999) Findings on NO_y as an indicator for ozone sensitivity based on numerical simulations. *J Geophys Res* 104: 3605–3620
- Volta M, Finzi G (1999) Evaluation of EU road traffic emission abatement strategies in Northern Italy. *EUROTRAC Newsletter* 21, 29–34
- WHO (1996a) Update and Revision of the WHO Air Quality Guidelines for Europe. Classical Air Pollutants: Ozone and other Photochemical Oxidants. European Centre for Environment and Health, Bilthoven, The Netherlands
- WHO (1996b) Update and Revision of the WHO Air Quality Guidelines for Europe. Ecotoxic Effects: Ozone Effects on Vegetation. European Centre for Environment and Health, Bilthoven, The Netherlands
- Winner DA, Cass GR, Harley RA (1995) Effect of alternative boundary conditions on predicted ozone control strategy performance: a case study in Los Angeles area. *Atmos Environ* 29: 3451–3464

URL 8.1: <http://aix.meng.auth.gr/saturn/forum/index.htm>

URL 8.2: <http://www.meto.govt.uk/>

URL 8.3: http://loop.web.psi.ch/gerzensee/prot_f.html

Chapter 9

- Bøhler T, Riise A (1997) Using the air quality assessment system AirQUIS in modelling the population's exposure to traffic induced air pollution, NILU F 7/97, Norwegian Institute for Air Research, Kjeller
- Bøhler T, Sivertsen B (1998) A modern Air Quality Management system used in Norway, NILU F 4/98, Norwegian Institute for Air Research, Kjeller
- Bøhler T (2000) APNEE Report on Evaluation of Field Trials (EU 5th FWP project IST-1999-11517 Deliverable 6.3), available via <http://www.apnee.org>
- Bøhler T, Karatzas K, Peinel G, Rose T, San Jose R (2002) Providing multi-access to environmental data – customizable information services for disseminating urban air quality information in APNEE. *Comput Environ Urban* 26: 39–61
- Daly M (ed) (1998) Good Practice in European Urban Air Quality Management, Sheffield City Council on behalf of the European Commission Directorate General XI. May 1998, Sheffield, UK
- Decanini E, Pola M, Polla Mattiot F, Volta M (2002) Application of REMSAD and GAMES modelling systems on a particulate matter and ozone episode in Milan metropolitan area. In: Batcharova E and Syrakov D (eds) Proc. 8th International Conference on Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes, Demetra Ltd. Sofia, pp. 350-354
- Decanini E, Volta M (2002) Flexible modelling system for air pollution simulation and control in Northern Italy. In: Midgley PM and Reuther M (eds) Proc. EUROTRAC-2 Symposium 2002, Margraf Verlag, Weikersheim

- Finzi G, Volta M (2001) A Real Time Urban Ozone Alarm System. In: Proc. 3rd International Conference on Urban Air Quality (CD-ROM edition), 19-23 March 2001, Loutraki
- Grønskei KE, Walker SE, Gram F (1993) Evaluation of a model for hourly spatial concentrations distributions. *Atmos Environ* 27B: 105–120
- Karatzas K (2000) Preservation of environmental characteristics as witnessed in classic and modern literature: the case of Greece. *Sci Total Environ* 257(2-3): 213-218
- Karatzas K (2002) Theoretical Investigation of Urban Air Quality Management Systems Performance Towards Simplified Strategic Environmental Planning. *Water Air Soil Poll, Focus* 2, No 5-6: 669-676
- Karatzas K, Moussiopoulos N (2000) Development and Use of Integrated Air Quality Management Tools in Urban Areas with the aid of Environmental Telematics. *Environ Monit Assess* 65: 451–458
- Karatzas K, Moussiopoulos N (2000) Urban air quality management and information systems in Europe: legal framework and information access. *J Environ Assess Pol Manag* 2, No 2: 263–272
- Karatzas K, Papadopoulos A, Moussiopoulos N, Kalognomou E, Bassoukos A (2000) Development of a hierarchical system for the teletransmission of environmental and energy data. *Telematics and Informatics* 17: 239–249
- Karatzas K, Moussiopoulos N, Fedra K, Lohmeyer A, Kouroumlis Ch (2001) A multimedia application for EIA studies. *IEEE Multimedia* 8, No 4: 71–75
- Karatzas K, Moussiopoulos N, Papadopoulos A (2001) Web-based tools for environmental management, *Environmental Management and Health* 12(4): 356–363
- Karatzas K, Dioudi E, Moussiopoulos N (2002) Identification of major components for integrated urban air quality management and information systems via user requirements prioritisation. *Environ Modell Softw* 18: 173-178
- Karppinen A, Kukkonen J, Elolähde T, Konttinen M, Koskentalo T, Rantakrans E (2000a) A modelling system for predicting urban air pollution, Model description and applications in the Helsinki metropolitan area. *Atmos Environ* 34: 3723–3733
- Karppinen A, Kukkonen J, Elolähde T, Konttinen M, Koskentalo T (2000b) A modelling system for predicting urban air pollution, Comparison of model predictions with the data of an urban measurement network. *Atmos Environ* 34: 3735–3743
- Karppinen A, Härkönen J, Kukkonen J, Aarnio P, Koskentalo T (2002) A statistical model for assessment of regionally and long-range transported proportion of urban PM_{2.5}. *Scand J Work Environ Health*, in print
- Kukkonen J, Valkonen E, Walden J, Koskentalo T, Aarnio P, Karppinen A, Berkowicz R, Kartastenpää R (2001a) A measurement campaign in a street canyon in Helsinki and comparison of results with predictions of the OSPM model. *Atmos Environ* 35: 231–243
- Kukkonen J, Härkönen J, Walden J, Karppinen A, Lusa K (2001b) Evaluation of the dispersion model CAR-FMI against data from a measurement campaign near a major road. *Atmos Environ* 35: 949–960
- Kukkonen J, Härkönen J, Karppinen A, Pohjola M, Pietarila H, Koskentalo T (2001c) A semi-empirical model for urban PM₁₀ concentrations, and its evaluation against data from an urban measurement network. *Atmos Environ* 35: 4433–4442
- Kousa A, Kukkonen J, Karppinen A, Aarnio P, Koskentalo T (2001) Statistical and diagnostic evaluation of a new-generation urban dispersion modelling system against an extensive dataset in the Helsinki Area. *Atmos Environ* 35: 4617–4628

292 References

- Kousa A, Kukkonen J, Karppinen A, Aarnio P, Koskentalo T (2002) A model for evaluating the population exposure to ambient air pollution in an urban area. *Atmos Environ* 36: 2109–2119
- Larssen S, Grønnskei KE, Gram F, Hagen LO, Walker SE (1994) Verification of urban scale time-dependent dispersion model with sub-grid elements in Oslo, Norway. *Air Poll. Modelling and Its Appl.* X, Plenum Press, New York
- Lohmeyer A, Flassak Th, Fedra K, Karatzas K, Prattos G, Moussiopoulos N (2001) AIR-EIA - Informationsquelle zur Umweltverträglichkeitsuntersuchung für das Schutzgut Luft in Deutschland, Griechenland und Österreich, *NDF Information Wissenschaft und Praxis* 52(4): 211-215
- Öttl D, Kukkonen J, Almbauer RA, Sturm PJ, Pohjola M, Härkönen J (2001) Evaluation of a Gaussian and a Lagrangian model against a roadside dataset, with focus on low wind speed conditions. *Atmos Environ* 35: 2123–2132
- Sivertsen B, Bøhler T (2000) On-line Air Quality Management System for Urban Areas in Norway, NILU F4/2000, Norwegian Institute for Air Research, Kjeller
- Slini Th, Karatzas K, Moussiopoulos N (2002) Statistical analysis of environmental data as the basis of forecasting: and air quality application, *Sci Total Environ* 288: 227–237
- Slørdal LH (2000) Wood burning and suspended particulate matter, NILU Draft Report, Norwegian Institute for Air Research, Kjeller (In Norwegian)
- Slørdal LH (2001) Applying model calculations to estimate future urban air quality with respect to the requirements of the EU directives on NO₂ and PM₁₀. In: Sportisse B (Ed.) *Air Pollution Modelling and Simulation*. Springer-Verlag Berlin Heidelberg, pp. 89-100
- Tiitta P, Raunemaa T, Tissari J, Yli-Tuomi T, Leskinen A, Kukkonen J, Härkönen J, Karppinen A (2002) Measurements and Modelling of PM_{2.5} Concentrations Near a Major Road in Kuopio, Finland. *Atmos Environ* 36: 4057–4068

URL 9.1: <http://www.apnee.com>